

Update EAS

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7440	(packet\$1 OR header\$1) WITH field\$1 AND field\$1 WITH (table\$1 OR graph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:26
L2	1124	L1 AND (370/389,392,351-356, 401,408.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:26
L3	2661	(packet\$1 OR header\$1) WITH field\$1 AND field\$1 NEAR2 (table\$1 OR graph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:26
L4	✓ 361	L3 AND (370/389,392,351-356, 401,408.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:42
L6	1087	(short\$3 ADJ1 path ADJ1 first\$1 OR OSPF) AND (tables OR graphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:44
L7	678	L6 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:44
L8	468	(short\$3 ADJ1 path ADJ1 first\$1 OR OSPF) AND packet SAME (tables OR graphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:44
L9	✓ 324	L8 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:44
S1	18	(US-6101181-\$ or US-5701416-\$ or US-5825772-\$ or US-6633544-\$ or US-6148000-\$ or US-5610904-\$ or US-5784557-\$ or US-6081506-\$ or US-5740172-\$ or US-6512766-\$ or US-6223172-\$ or US-6363319-\$ or US-6321271-\$ or US-6538991-\$ or US-6501754-\$ or US-5243592-\$ or US-6230252-\$).did. or (US-20020067720-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/10/05 10:48
S2	9195	(direct\$5 ADJ3 graph\$3) OR direct\$3graph\$3 OR direct\$3acyclic\$1graph\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:28
S4	3344039	route\$1 OR routing\$1 OR forward\$3 OR switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 10:51

S5	4771	S2 AND S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 11:48
S6	842	S2 SAME S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 10:51
S7	467751	(route\$1 OR routing\$1 OR forward\$3 OR switch\$3) SAME (packet\$1 OR frame\$1 OR message\$1 OR cell\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:20
S8	1514	S2 AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 10:52
S10	321962	(route\$1 OR routing\$1 OR forward\$3 OR switch\$3) WITH (packet\$1 OR frame\$1 OR message\$1 OR cell\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 10:53
S11	1096	S2 AND S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 10:54
S13	104	S2 SAME S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 10:54
S14	561	S2 AND S4 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6. ccls. OR "379"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 11:52
S16	382	S2 AND S7 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6. ccls. OR "379"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:21
S19	663	S2 SAME (index\$3 OR label\$3 OR tag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 12:27
S20	44	S2 SAME (index\$3 OR label\$3 OR tag\$3) SAME (route\$1 OR routing\$1 OR forward\$3 OR switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 12:31
S21	171	((multiple\$1 NEAR2 path\$1) OR multi\$1path\$1) SAME (load\$1balanc\$3 OR (load\$3 ADJ1 balanc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 12:49
S22	239	S2 AND (load\$1balanc\$3 OR (load\$3 ADJ1 balanc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:30

S23	251	(load\$1balanc\$3 OR (load\$3 ADJ1 balanc\$3)) SAME (MPLS OR label\$1 OR label\$1switch\$3 OR tag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 13:21
S24	281	normaliz\$6 NEAR4 (tag\$3 OR label\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 13:28
S25	11	S24 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "379"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 13:29
S26	2010	random\$7 NEAR4 (tag\$3 OR label\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:36
S27	133	S26 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "379"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:37
S28	1614	LFSR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:20
S29	398	S28 AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:21
S30	126	S29 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "379"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:21
S31	9	S28 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:29
S32	749	hash\$3 WITH (label\$3 OR tag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 14:30
S33	63	S32 AND (load\$1balanc\$3 OR (load\$3 ADJ1 balanc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:40
S34	21	S32 AND ((multiple\$1 NEAR2 path\$1) OR multi\$1path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:15
S35	71	S32 SAME (load\$3 OR congestion\$1 OR traffic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:20

S37	0	"197103".URPN.	USPAT	OR	OFF	2004/10/05 15:26
S38	1577	hyper\$1cube\$1 OR (hyper ADJ1 cube\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:27
S39	95	S38 AND hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:31
S40	46	S38 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:31
S41	118	S38 AND (load\$1balanc\$3 OR (load\$3 ADJ1 balanc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:48
S42	5413	(hash\$3 OR normaliz\$5) WITH (label\$3 OR flow\$1 OR tag\$3 OR LSP OR MPLS\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 15:49
S43	223	S42 AND ((load\$3 NEAR2 balanc\$3) OR load\$3balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:28
S44	283	rout\$3 NEAR2 bias\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:31
S48	18332	packet\$1 WITH (flow\$1 OR tag\$3 or label\$1 OR LSP OR MPLS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:42
S49	15877	(hash\$3 OR LFSR OR random\$7) WITH (flow\$1 OR tag\$3 or label\$1 OR LSP OR MPLS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 17:36
S50	810	S48 AND S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:44
S51	720	S48 AND S49 AND S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:44
S52	69	S2 SAME packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 16:51

S53	2	"5088032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 17:36
S54	2	"4905233".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/05 17:37
S55	57	((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND rout\$4 AND tag\$4 AND (load\$1balanc\$3 OR (load ADJ balanc\$3) OR balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 14:30
S56	29	((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND rout\$4 AND tag\$4 AND (FIFO OR (first ADJ in) OR first\$lin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 12:12
S57	183	(network OR packet OR cell) AND ((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND rout\$4 AND tag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/07 08:41
S58	10	(route OR routed OR routing OR routes) AND ((loop\$2free) OR (loop ADJ free)) AND tag\$3 AND (load\$1balanc\$3 OR (load\$3 ADJ balanc\$3) OR balanc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 13:01
S59	54	(directed\$2graph\$2 OR diagraph\$2 (acyclic\$2 ADJ graph\$3)) AND ((packet OR cell) SAME order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 16:26
S60	3	("4987536" "5253248" "5428636").PN.	USPAT	OR	OFF	2002/11/06 17:05
S61	4	"5610904".URPN.	USPAT	OR	OFF	2002/11/06 17:08
S62	386	(network OR packet OR cell) AND ((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND rout\$4 AND label\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/07 08:46
S63	144	(network OR packet OR cell) AND ((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND (rout\$4 NOT routine\$1) AND label\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/07 08:46
S64	79	((direct\$2 ADJ2 graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/08 10:36
S65	173	(distance ADJ1 vector\$3) WITH (rout\$3 NOT routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 14:05
S66	23	((distance ADJ1 vector\$3) SAME (rout\$3 NOT routine)) AND (load ADJ1 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 13:39

S67	0	((distance ADJ1 vector\$3) SAME (rout\$3 NOT routine)) AND ((hyper ADJ1 cube\$1) OR hyper\$2cube\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 13:40
S68	36	(direct\$3 ADJ3 graph\$3) AND ((hyper ADJ1 cube\$1) OR hyper\$2cube\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 13:41
S69	649	packet\$1 AND (((distance ADJ1 vector\$3) SAME (rout\$3 NOT routine)) OR ((direct\$2 ADJ2 graph\$3) OR direct\$3graph\$3 OR diagraph\$3 OR (acyclic ADJ graph\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 14:08
S70	2	("5870564" "6016306").PN.	USPAT	OR	OFF	2003/04/14 14:22
S71	6	(((distance ADJ1 vector\$3) SAME (rout\$3 NOT routine)) OR ((direct\$2 ADJ2 graph\$3) OR direct\$3graph\$3 OR diagraph\$3 OR (acyclic ADJ graph\$3))) AND ((rout\$3 NOT routine) WITH bias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 14:36
S72	31	packet\$1 AND (tag\$3 OR label\$3) AND ((rout\$3 NOT routine) WITH bias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 14:39
S73	119	((distance ADJ1 vector\$3) OR (direct\$2 ADJ2 graph\$3) OR direct\$3graph\$3 OR diagraph\$3 OR (acyclic ADJ graph\$3)) AND ((tag\$1 OR label\$1 OR field\$1) WITH packet\$1) AND (rout\$3 NOT routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 14:55
S74	209	((distance ADJ1 vector\$3) OR OSPF) AND (MPLS OR (label\$3 ADJ2 switch\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 14:55
S75	336	((distance ADJ1 vector\$3) OR (direct\$2 ADJ2 graph\$3) OR direct\$3graph\$3 OR diagraph\$3 OR (acyclic ADJ graph\$3)) AND (rout\$3 NOT routine) AND (order OR FIFO) AND packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/14 15:16
S76	1	(MPLS OR (label\$3 ADJ1 switch\$3)) AND ((labl\$4 OR tag\$3) WITH hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 08:52
S77	4381	normaliz\$5 SAME ((rout\$3 NOT routine) OR tag\$3 OR label\$3 OR MPLS\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 08:44
S78	173	(normaliz\$5 SAME ((rout\$3 NOT routine) OR tag\$3 OR label\$3 OR MPLS\$1)) AND ("370"/\$6.ccls. OR "455"/\$6.ccls. OR "709"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 08:44

S79	2371	(MPLS\$1 OR (label\$3 ADJ1 switch\$3) OR label\$1switch\$3 OR (tag ADJ1 switch\$3) OR tag\$1switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 08:53
S80	246	((MPLS\$1 OR (label\$3 ADJ1 switch\$3) OR label\$1switch\$3 OR (tag ADJ1 switch\$3) OR tag\$1switch\$3)) AND (normaliz\$5 OR hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 08:53
S81	3550	((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 14:31
S82	2703	(MPLS\$1 OR (label\$3 ADJ1 switch\$3) OR label\$1switch\$3 OR (tag ADJ1 switch\$3) OR tag\$1switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 14:31
S83	14	((direct\$2 ADJ graph\$2) OR direct\$3graph\$2 OR diagraph\$2 OR (acyclic ADJ graph\$2)) AND ((MPLS\$1 OR (label\$3 ADJ1 switch\$3) OR label\$1switch\$3 OR (tag ADJ1 switch\$3) OR tag\$1switch\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 14:31
S84	9	("5321815" "5530806" "5561790" "5881243" "5933425" "6078963" "6098107" "6192043" "6256309").PN.	USPAT	OR	OFF	2004/03/17 14:35
S85	0	"6633544".URPN.	USPAT	OR	OFF	2004/03/17 14:42
S86	20055	(forward\$3 OR rout\$3) NEAR2 table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:32
S87	6496	(forward\$3 OR rout\$3) NEAR2 tables	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 17:32
S88	2782	S87 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:05
S89	2262	S87 AND (label\$3 OR flow\$1 OR tag\$3 OR LSP OR MPLS\$2) SAME packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:06
S90	1752	S87 AND (label\$3 OR flow\$1 OR tag\$3 OR LSP OR MPLS\$2) WITH packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:07
S91	1154	S87 AND (label\$3 OR flow\$1 OR tag\$3 OR LSP OR MPLS\$2) WITH packet\$1 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:14

S92	27667	(packet\$1 OR header\$1) WITH (table\$1 OR graph\$1 OR index\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:16
S93	2957	(packet\$1 OR header\$1) WITH (table\$1 OR graph\$1 OR index\$1) AND (forward\$3 OR rout\$3) NEAR2 tables	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:15
S94	1437	(packet\$1 OR header\$1) WITH (table\$1 OR graph\$1 OR index\$1) AND (forward\$3 OR rout\$3) NEAR2 tables AND (label\$3 OR flow\$1 OR tag\$3 OR LSP OR MPLS\$2) WITH packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:16
S97	11076	header\$1 WITH (table\$1 OR graph\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:18
S98	✓ 562	header\$1 WITH (table\$1 OR graph\$1) AND (forward\$3 OR rout\$3) NEAR2 tables AND (label\$3 OR flow\$1 OR tag\$3 OR LSP OR MPLS\$2) WITH packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:56
S99	✓ 57	graph\$3 WITH index\$3 AND index\$3 WITH packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:28
S100	3500	370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:28
S104	✓ 292	370/392.ccls. AND (forward\$3 OR rout\$3) NEAR2 (tables OR graphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 18:34
S106	✓ 247	370/392.ccls. AND packet\$1 WITH (tables OR graphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 18:35
S110	✓ 76	370/392.ccls. AND header\$1 WITH (tables OR graphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 18:39
S111	✓ 143	370/392.ccls. AND rout\$3 NEAR2 field\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 07:23